Earth Renewable Germex

Compilation Date: 1 January 2006 Issue Date: 1 January 2019

Revision No: 3.0

Page 1

## 1. Chemical Product and Company Identification

**Product Name Earth Renewable Germex** None

Other Means of Identification

4x750ml: 05-180

**Product Code** 

**Product Use** Cleaner deodoriser for cleaning bathroom and toilet areas. Recommended use dilution 1 part in 100 parts of water for spray

and wipe cleaning and 1 part in 1000 for mopping.

**Supplier** Solo Pak Pty Ltd **ABN** 29 076 652 269

**Mail Address** PO Box 67, Brisbane Markets QLD, 4106

**Email** sales@solopak.com.au

Telephone: 1300 307 755

**Emergency** Poisons Information Centre (National) 131126

Telephone:

#### 2. Hazards Identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

In ready to use form, when diluted with water, at or more than 1:10 (≤100mL/L) the diluted product is classified as non-hazardous. Recommended dilution is 1:100.

Poisons Schedule None

Skin corrosion/irritation(Category 2) **GHS Classification** 

Serious eye damage/eye irritation (Category 2A)

**GHS Label Elements** 



**SIGNAL WORD** 

Hazard Statement(s)

H316 Causes mild skin irritation H319 Causes serious eye irritation.

Prevention(s)

P280 Wear protective gloves/protective clothing/eye protection/face

protection

Page 1 of 7 ER Germex SDS Version 3.0 Created 1 January 2019

Earth Renewable Germex

P260 Wash exposed skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product.

Read the SDS before using this product.

Response

P330 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P362 Take off contaminated clothing and wash before reuse. P305+P351+P338 **IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P301+P312 Call POISON CENTER or doctor if you feel unwell. P332+P313 If skin irritation occurs, get medical advice/attention.

Storage

Not applicable

Disposal

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

## 3. Composition/Information on Ingredients

(Listed when present at 1% or greater, carcinogens at 0.1% or greater)

Chemical Name	CAS Registry Number	% Weight	Hazard Information
Glutamic acid diacetic acid, tetra sodium salt	51981-21-6	<5	H290 May be corrosive to metals
Propylene glycol	57-55-6	5-15	None
Didecyl Dimethylammonium Chloride	7173-51-5	<5	H301: Toxic if swallowed H314: Causes severe skin burns and eye damage H318: Serious eye damage Category 1
Polyoxyethylene C12C14 acid methyl ester	Proprietary	15-30	H303: May be harmful if swallowed. H316: Causes mild skin irritation. H319: Causes serious eye irritation.
Cocoamide MEA	68140-001	<5	H315: Skin Irritation Category 2 H320: Causes eye irritation.
Enviromask Fragrance	Compound	<5	H315: Causes skin irritation H319: Causes serious eye irritation H335: May cause respiratory irritation
Sweet lemon fragrance	Compound	<5	H227: Combustible liquid H315: Causes skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation H335: May cause respiratory irritation
Coconut fragrance	Compound	<1	H226: Flammable liquid and vapour H315: Causes skin irritation H319: Causes serious eye irritation H335: May cause respiratory irritation H302: Harmful if swallowed

Earth Renewable Germex

Water
-------

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

#### 4. First Aid Measures

Eyes

Ingestion

For advice, contact a Poisons Information Centre (Australia General

13 11 26) or a doctor. If swallowed, do NOT induce

vomiting. Immediately give a glass of water.

If fumes, aerosols or combustion products are inhaled Inhalation

remove from contaminated area. Other measures are

usually unnecessary.

If skin contact occurs: Skin

Immediately remove all contaminated clothing, including

Flush skin and hair with running water (and soap if

available).

Seek medical attention in event of irritation. If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by

occasionally

lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or

recurs seek medical attention.

Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel. If swallowed do NOT induce vomiting.

If vomiting occurs, lean patient forward or place on left side

(head-down position, if possible) to maintain open airway and prevent aspiration.

Observe the patient carefully.

Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and

as much as casualty can comfortably drink.

Seek medical advice.

Prolonged skin contact may result in dermatitis or reddening Symptoms Caused by

of the skin.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### 5. Fire Fighting Measures

Extinguishing Media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Page 3 of 7 Germex SDS Version 3.0 Created 1 January 2019

Earth Renewable Germex

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce

floating layers of combustible substances.

In such an event consider: foam.

Fire Fighting Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains

or water courses.

Use fire fighting procedures suitable for surrounding area.

Fire and Explosion Hazards

Non combustible. Not considered to be a significant fire risk.

Expansion or decomposition on heating may lead to violent rupture

of containers

Decomposes on heating and may produce toxic fumes of carbon

monoxide (CO).

Decomposes on heating and produces toxic fumes of:, carbon dioxide (CO2), hydrogen chloride, phosgene, nitrogen oxides (NOx), other pyrolysis products typical of burning organic material

#### 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Minor Spills

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective

equipment.

Contain and absorb spill with sand, earth, inert material or

vermiculite.

Slippery when spilt.

Major Spills Moderate hazard.

Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Slippery when spilt.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### 7. Precautions for handling and storage

#### Precautions for safe handling

Precautions for Limit

Limit all unnecessary personal contact.

Safe Handling Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Avoid contact with incompatible materials.

DO NOT allow clothing wet with material to stay in contact with

skin

Other Information Store in original containers.

Keep containers securely sealed.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Page 4 of 7 Germex SDS Version 3.0 Created 1 January 2019

Earth Renewable Germex

Suitable containers Lined metal can, lined metal pail/ can.

> Plastic pail. Polyliner drum.

Packing as recommended by manufacturer.

None known Storage Incompatibility

## 8. Exposure controls /personal protection

National Exposure Standards

**Engineering Controls** 

**Personal Protection** Eves/Face

Hands

Skin

Respiratory

An exposure standard has not been established for this product.

Use in well-ventilated area

Safety glasses

Rubber gloves. Avoid skin contact.

Not generally required when used as per label directions. Avoid skin

contact.

Not generally required when used as per label directions. Avoid

inhaling spray mist.

## 9. Physical and chemical properties

Physical Description &

colour:

Clear Red mobile liquid.

Typical QAC odour Odour:

**Boiling Point:** Approximately 100°C at 100kPa.

Freezing/Melting Point: Lower than 0o C. 50% Water. Volatiles:

No data. Vapour Pressure: No data. Vapour Density: Specific Gravity: 1.025

Completely soluble in water. Water Solubility:

7.0-8.0 pH: No data. Volatility: No data. Odour Threshold: **Evaporation Rate:** No data No data Coeff Oil/water

distribution:

# 10. Stability and Reactivity

Chemical Stability

Possibility of Hazardous

Reaction

Conditions to Avoid Incompatible Materials

Hazardous

**Decomposition Products** 

The product is stable under normal conditions

None known

Extreme heat and temperatures

Strong oxidizing agents

None known

Page 5 of 7 Germex SDS Version 3.0 Created 1 January 2019

Earth Renewable Germex

### 11. Toxicological information

**Toxicology Information** No toxicity information is available for this product.

Inhalation Aspiration (breathing in) of liquid spray or mist liable to cause

severe irritation and damage to respiratory tract.

Ingestion Quaternary ammonium salts in high concentrations are irritant.

May cause gastric upset.

Skin Will have a degreasing effect on the skin which may lead to

irritation on prolonged contact with the concentrate.

Eye Irritant.

Chronic Effects Repeated skin contact with the concentrate may lead to

dermatitic effects.

## 12. Ecological information

No data available **Ecotoxicity** 

Persistence/Degradabi

Bio-accumulative

Potential

The substance is expected to be readily biodegradable according to the AS 4351 Part 2 test protocol.

Bioaccumulation is unlikely to occur.

No data available Mobility in Soil

Disposal considerations

Containers should be emptied as completely as practical before Disposal

disposal. If possible, recycle product and containers either in-house or send to recycle company. If this is not practical, send to a

commercial waste disposal site.

# 13. Transport Information

**UN Number** This product is not classified as a Dangerous Good by ADG, IATA

or IMDG/IMSBC criteria. No special transport conditions are

necessary unless required by other regulations.

#### 14. Regulatory Information

**AICS** All of the significant ingredients in this formulation are compliant

with NICNAS regulations.

#### 15. Other information

Abbreviations

**AICS CAS Number** 

EC50

Australian Inventory of Chemical Substances

Unique Chemical Abstracts Service Registry Number

Ecotoxic Concentration 50% — concentration in water which is

Page 6 of 7 Germex SDS Version 3.0 Created 1 January 2019

**GHS** 

Earth Renewable Germex

fatal to 50% of a test population (e.g. daphnia, fish species) Exposure Standard - The airborne concentration of a biological or ES

chemical agent to which a worker may be exposed in a work day Globally Harmonised System of Classification and Labelling of

Chemicals

**HAZCHEM Code** Emergency action code of numbers and letters that provide

information to emergency services, especially fire fighters

International Agency for Research on Cancer **IARC** 

Lower Explosive Limit LEL

Lethal Dose 50% — dose which is fatal to 50% of a test LD50

population (usually rats).

Lethal Concentration 50% — concentration in air which is fatal to LC50

50% of a test population (usually rats)

National Industrial Chemicals Notification and Assessment **NICNAS** 

Scheme

Peak Exposure Value: The maximum airborne concentration of a **Peak Limitation** 

biological or chemical agent to which a worker may be exposed at

any time.

Safety Data Sheet SDS

Short Term Exposure Limit - The maximum airborne **STEL** 

concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is

not exceeded

**TWA** Time Weighted Average — generally referred to ES averaged

over typical work day (usually 8 hours)

Upper Explosive Limit UEL **United Nations Number UN Number** 

References

NOHSC: 1003

Unless otherwise stated comes from IUCLID Data

datasheet for the specific chemical. National Occupational Health and Safety

Commission 1995, Exposure Standards for Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(199511

Prepared By Jon Sprinkhuizen 1st of January 2019 Update SDS to GHS format Date of Issue

Changes Made

Australian Dangerous Goods Code Preparation of Safety Data References

Sheets for Hazardous Chemicals Code of Practice 2011. Standard for the Uniform Scheduling of Medicines & Poisons

(SUSMP) Guidance

Australia 24 HOUR EMERGENCY CONTACT Poisons Contact Person/Point

Information Centre 13 11 26

The above information is believed to be correct with respect to Legal Disclaimer

the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS

INFORMATION.

**End of SDS**