Safety Data Sheet

Earth Renewable Sologenic

Page 1

Compilation Date: 1 January 2006 Issue Date: 7 October 2016

Revision No: 2.0

1. Chemical Product and Company Identification

Product Name Earth Renewable Sologenic

Other Means of Ethanol (Ethyl Alcohol) Or Ethanol Solution (Ethyl Alcohol Solution)

Identification

Product Code 6x500ml: 05-361

Product Use Alcohol Hand Gel Sanitiser, For external use only.

Supplier Solo Pak Pty Ltd **ABN** 29 076 652 269

Mail Address PO Box 67, Brisbane Markets QLD, 4106

Email sales@solopak.com.au

Telephone: 1300 307 755

Emergency Poisons Information Centre (National) 131126

Telephone:

2. Hazards Identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Not scheduled Poisons Schedule

Flammable Liquid - Category 3 **GHS Classification**

Eye Irritation - Category 2B

GHS Label Elements





SIGNAL WORD

DANGER

Hazard Statement(s)

H226	Flammable liquid and vapour
H319	Causes Serious Eye Irritation

Prevention(s)

P210	Keep away from open flames. No smoking
P233	Keep container tightly closed.

P241 Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools

> Page 1 of 9 ER Sologenic SDS Version 2.0 Created 7 October 2016

Safety Data Sheet

Earth Renewable Sologenic

Take precautionary measures against static

discharge

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

Response

P243

P370 + P378 | In case of fire: Use dry chemical, carbon dioxide

or alcohol stable foam for extinction.

P305+P351+P338 | IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 | If eye irritation persists: Get medical

advice/attention.

Storage

P403 + P235 | Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

3. Composition/Information on Ingredients

(Listed when present at 1% or greater, carcinogens at 0.1% or greater)

Chemical Name	CAS Registry Number	% Weight	Hazard Information
Ethanol	64-17-5	65	H225: Flam. Liq. 2 H302: Acute Tox. 4 (Oral) H315: Causes skin irritation H319: Causes serious eye irritation H335: May cause respiratory irritation. H370: Causes damage to organs TWA: 1880 mg/m ³
Water	7732-18-5	10-30	None
Ingredients determined not to be hazardous	Mixture	<10	None

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Page 2

Safety Data Sheet

Eyes

Earth Renewable Sologenic

Page 3

4. First Aid Measures

General For advice, contact a Poisons Information Centre (Australia

13 11 26) or a doctor. If swallowed, do NOT induce

vomiting. Immediately give a glass of water.

Inhalation If fumes or combustion products are inhaled remove from

contaminated area.

Lay patient down. Keep warm and rested.

Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first

aid procedures.

Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or

pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.

Skin If skin contact occurs:

Immediately remove all contaminated clothing, including

footwear.

Flush skin and hair with running water (and soap if

available).

Seek medical attention in event of irritation.

If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by

occasionally

lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or

recurs seek medical attention.

Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel.

Ingestion If swallowed do NOT induce vomiting.

If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway

and

prevent aspiration.

Observe the patient carefully.

Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and

as much as casualty can comfortably drink.

Seek medical advice.

Symptoms Caused by Prolonged skin contact may result in dermatitis or reddening

of the skin.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

Safety Data Sheet

Fire and Explosion

Hazards

Earth Renewable Sologenic

Page 4

5. Fire Fighting Measures

Dry chemical powder.

BCF (where regulations permit).

Carbon dioxide.

Water spray or fog - Large fires only.

Fire Fighting Alert Fire Brigade and tell them location and nature of hazard.

May be violently or explosively reactive.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or

water course.

If safe, switch off electrical equipment until vapour fire hazard

removed.

Use water delivered as a fine spray to control fire and cool

adjacent area.

Avoid spraying water onto liquid pools.

Liquid and vapour are flammable.

Moderate fire hazard when exposed to heat or flame.

Vapour forms an explosive mixture with air.

Moderate explosion hazard when exposed to heat or flame. Vapour may travel a considerable distance to source of ignition. Heating may cause expansion or decomposition leading to violent

rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising

acids, chlorine bleaches, pool chlorine etc. as ignition may result

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Minor Spills

Slippery when spilt.

Remove all ignition sources.

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective

equipment.

Contain and absorb small quantities with vermiculite or other

absorbent material.

Wipe up.

Major Spills

Moderate hazard.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Slippery when spilt.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Page 4 of 9 ER Sologenic SDS Version 1.1 Created 7 October 2016

Safety Data Sheet

Earth Renewable Sologenic

Page 5

7. Precautions for handling and storage

Precautions for safe handling

Precautions for Safe

Handling

Containers, even those that have been emptied, may contain explosive vapours.

Do NOT cut, drill, grind, weld or perform similar operations on or

near containers.

DO NOT allow clothing wet with material to stay in contact with

skin

Avoid all personal contact, including inhalation.

Wear protective clothing when risk of overexposure occurs.

Use in a well-ventilated area.

Prevent concentration in hollows and sumps.

DO NOT enter confined spaces until atmosphere has been

checked.

Other Information Store in original containers in approved flame-proof area.

No smoking, naked lights, heat or ignition sources.

DO NOT store in pits, depressions, basements or areas where

vapours may be trapped.

Keep containers securely sealed.

Store away from incompatible materials in a cool, dry well

ventilated area.

Protect containers against physical damage and check regularly

for leaks.

Observe manufacturer's storage and handling recommendations

contained within this MSDS.

Conditions for safe storage, including any incompatibilities

Suitable containers

Packing as supplied by manufacturer.

Plastic containers may only be used if approved for flammable liquid.

Check that containers are clearly labelled and free from leaks.

Storage

Incompatibility

Avoid storage with oxidisers.

8. Exposure controls /personal protection

National Exposure Standards – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

Ingredient CAS No ES-TWA ES-STEL

Ethanol 64-17-5 1000ppm 1880mg/m3

National Exposure

Standards . Engineering Controls

Not normally required

Personal Protection

Eyes/Face

Personal protection is not normally required unless a risk

An exposure standard has not been established for this product.

assessment indicates the need for it.

Hands

Personal protection is not normally required unless a risk

assessment indicates the need for it.

Skin

Personal protection is not normally required unless a risk

Page 5 of 9 ER Sologenic SDS Version 1.1 Created 7 October 2016

Safety Data Sheet

Earth Renewable Sologenic

assessment indicates the need for it.

Respiratory Personal protection is not normally required unless a risk

assessment indicates the need for it.

9. Physical and chemical properties

Physical Description &

Clear viscous gel.

colour:

Ethanol odour

Odour: **Boiling Point:**

Approximately 100°C at 100kPa.

Freezing/Melting Point:

Lower than 0^o C.

Vapour Pressure: Vapour Density:

No data. No data.

Specific Gravity: Water Solubility: 0.9 Completely soluble in water.

Flash point

27°C 7.0-8.0

pH: Volatility:

No data.

Odour Threshold: **Evaporation Rate:** No data. No data

Coeff Oil/water

distribution:

No data

10. Stability and Reactivity

Reactivity See section 7

Chemical Stability Unstable in the presence of incompatible materials.

Product is considered stable.

Hazardous polymerisation will not occur.

See section 7

Possibility of Hazardous

Reaction

Conditions to Avoid

Incompatible Materials

Hazardous

Decomposition Products

See section 7

See section 7

See section 5

11. Toxicological information

Acute Toxicity

No toxicity information is available for this product.

Skin corrosion/irritation

No data available.

Serious eye damage/

irritation

May cause transient eye irritation.

Respiratory or skin sensitisation

Germ Cell Mutagenicity

No data available.

Carcinogenicity

No components of this product present at levels greater than or

Repeated skin exposure may cause dryness and cracking.

Page 6 of 9 ER Sologenic SDS Version 1.1 Created 7 October 2016 Page 6

Safety Data Sheet

Earth Renewable Sologenic

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity No data available.

Specific Target Organ No data available. Toxicity - Single Exposure

Specific Target Organ Toxicity – Repeated

Exposure

Aspiration Hazard

No data available

No data available.

12. Ecological information

Ecotoxicity No data available

Persistence/Degradabilit Ethanol id biodegradable

Bio-accumulative

Bioaccumulation is unlikely to occur. Potential Mobility in Soil

No data available

13. Disposal considerations

Containers should be emptied as completely as practical before Disposal

disposal. If possible, recycle product and containers either in-house or send to recycle company. If this is not practical, send to a

commercial waste disposal site.

14. Transport Information

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

UN Number 1993

UN Proper Shipping FLAMMABLE LIQUID, N.O.S. (Ethanol)

Name

Class and subsidiary 3 - Flammable

Packing Group

Special precautions for None known

user

Hazchem Code 3[Y]E

> Page 7 of 9 ER Sologenic SDS Version 1.1 Created 7 October 2016

Page 7

Safety Data Sheet

Earth Renewable Sologenic

Page 8

15. Regulatory Information

AICS All of the significant ingredients in this formulation are compliant

with NICNAS regulations.

16. Other information

Abbreviations

AICS Australian Inventory of Chemical Substances

Unique Chemical Abstracts Service Registry Number **CAS Number**

Ecotoxic Concentration 50% — concentration in water which is EC50 fatal to 50% of a test population (e.g. daphnia, fish species) Exposure Standard - The airborne concentration of a biological or

ES

chemical agent to which a worker may be exposed in a work day

Globally Harmonised System of Classification and Labelling of **GHS**

Emergency action code of numbers and letters that provide **HAZCHEM Code**

information to emergency services, especially fire fighters

International Agency for Research on Cancer **IARC**

Lower Explosive Limit **LEL**

Lethal Dose 50% — dose which is fatal to 50% of a test LD50

population (usually rats).

Lethal Concentration 50% — concentration in air which is fatal to LC50

50% of a test population (usually rats)

National Industrial Chemicals Notification and Assessment **NICNAS**

Scheme

Peak Exposure Value: The maximum airborne concentration of a **Peak Limitation**

biological or chemical agent to which a worker may be exposed at

any time.

Safety Data Sheet SDS

Short Term Exposure Limit - The maximum airborne STEL

concentration of a chemical or biological agent to which a worker

may be exposed in any 15 minute period, provided the TWA is

not exceeded

Time Weighted Average — generally referred to ES averaged **TWA**

over typical work day (usually 8 hours)

Upper Explosive Limit UEL **United Nations Number UN Number**

References

Unless otherwise stated comes from IUCLID datasheet for the Data

specific chemical.

National Occupational Health and Safety Commission 1995, NOHSC: 1003

Exposure Standards for Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

[NOHSC: 1003(199511

Prepared By Jon Sprinkhuizen Date of Issue 7th of October 2016 Changes Made Update SDS to GHS format

References Australian Dangerous Goods Code Preparation of Safety Data

Sheets for Hazardous Chemicals Code of Practice 2011. Standard for the Uniform Scheduling of Medicines & Poisons

(SUSMP) Guidance

Contact Person/Point Australia 24 HOUR EMERGENCY CONTACT Poisons

> Page 8 of 9 ER Sologenic SDS Version 1.1 Created 7 October 2016

Safety Data Sheet

Earth Renewable Sologenic

Page 9

Legal Disclaimer

Information Centre 13 11 26

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

End of SDS